



**LABOR RELATIONS DIVISION**

401 Broadway NE  
Albuquerque, NM 87102  
Phone: 505-841-4400  
Fax: 505-841-4424

226 South Alameda Blvd  
Las Cruces, NM 88005  
Phone: 575-524-6195  
Fax: 575-524-6194

**WWW.DWS.STATE.NM.US**

**Wage Decision Approval Summary**

1) Project Title: Elastek Roof Renovation - Fairgrounds Comm Center 2400625 CES KCB  
Requested Date: 04/30/2024  
Approved Date: 05/01/2024  
Approved Wage Decision Number: ED-24-1537-B

**Wage Decision Expiration Date: 08/29/2024**

2) Physical Location of Jobsite for Project:  
Job Site Address: 3402 S. 13th St.  
Job Site City: Artesia  
Job Site County: Eddy

3) Contracting Agency Name (Department or Bureau): County of Eddy  
Contracting Agency Contact's Name: Roberta Smith  
Contracting Agency Contact's Phone: (575) 887-9511 Ext. 2522

4) Estimated Contract Award Date: 04/08/2024

5) Estimated total project cost: \$91,064.26  
a. Are any federal funds involved?: No  
b. Does this project involve a building?: Yes - Elastek Roof Renovation at Eddy County Fairground Community Center.  
c. Is this part of a larger plan for construction on or appurtenant to the property that is subject to this project?: No  
d. Are there any other Public Works Wage Decisions related to this project?: No  
e. What is the ultimate purpose or functional use of the construction once it is completed?: Elastek Roof Renovation at Eddy County Fairground Community Center.

6) Classifications of Construction:

Classification Type and Cost Total	Description
<b>General Building (B)</b> <b>Cost: \$91,064.26</b>	Elastek roof renovation at Eddy County Fairground community center. The metal roof is in need of repairs at metal panel details, field penetrations also in need of elastomeric roof reinforcement reinforced coating system. Pressure wash and prime entire roof (at Main Image in RED). Brush apply 6" inch polyester fabric strips onto all penetration seams. Spray apply an Elastek Foundation on Coat and allow to dry. Spray apply an Elastek Premium Top Coat Membrane in a (2) two coat process. Reinforce all penetrations with a Elastek Crack and Joint butter grade membrane. Remove and discard all project related debris.